

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S111	354	glass with thickness with (pressure or force) with (cut\$4 or scrib\$4 or scor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 16:09
S112	2	glass with (groove or channel) with (thickness or depth) with force with (varying or variable)	US-PGPUB; USPAT	OR	ON	2010/12/22 20:24
S113	567	glass with (thickness or groove or depth) with (pressure or force) with (cut\$4 or scrib\$4 or scor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 20:25
S114	267	glass with ( groove or depth) with (pressure or force) with (cut\$4 or scrib\$4 or scor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 20:26
S115	152	glass with ( varying or varies or variable or different) with (pressure or force) with (cut\$4 or scrib\$4 or scor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 21:20
S116	860	glass with (varying or varies or variable or different) with (pressure or force) with surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 21:47

S117	853	S116 not (S115 and S114)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 21:48
S118	337	glass with ( varying or varies or variable or different) with (pressure or force) with thickness	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 21:49
S119	242	glass with ( varying or varies or variable or different) with (groove or scor\$4) with (thickness or depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 22:18
S120	5	glass with ( varying or varies or variable or different) with (fissure) with (thickness or depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 22:40
S121	7	(air near1 bag) with ( varying or varies or variable or different) with (fissure or groove or channel) with (thickness or depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 22:42
S122	7	(air near1 bag) near100 ( varying or varies or variable or different) near100 (fissure or groove or channel) with (thickness or depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 22:42

S123	7	(air near1 bag) near100 ( varying or varies or variable or different) near100 (fissure or groove or channel) near100(thickness or depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 22:43
S124	7	(air near1 bag) near100 ( varying or varies or variable or different) near100 (fissure or groove or channel) near100 (thickness or depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 22:43
S125	1939	substrate near100 ( varying or varies or variable or different) near100 (fissure or groove or channel) near100 (thickness or depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 22:43
S126	9	substrate near100 ( varying or varies or variable or different) near100 (fissure or groove or channel) near100 (thickness or depth) near100 break\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 22:44
S127	3	glass near100 ( varying or varies or variable or different) near100 (fissure or groove or channel) near100 (thickness or depth) near100 break\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/22 22:44
S128	16	"3282140"	US-PGPUB; USPAT	OR	ON	2010/12/23 08:05

S129	24	("2620993"   "3198044"   "3280677"   "3282140"   "3459078"   "3905261").PN. OR ("4098155"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/12/23 08:07
S130	6	("3280677"). URPN.	USPAT	OR	ON	2010/12/23 08:16
S131	6	("3280677"). URPN.	USPAT	OR	ON	2010/12/23 08:16
S132	13257	(substrate or glass) near100 ( varying or varies or variable or different) near100 (fissure or groove or channel or scor \$4 or srib\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/23 15:32
S133	156	(substrate or glass) near100 ( varying or varies or variable or different) near100 (fissure or groove or channel or scor \$4 or srib\$4) near100 break\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/23 15:33
S134	4	(air near2 bag) near100 ( varying or varies or variable or different) near100 (fissure or groove or channel or scor \$4 or srib\$4) near100 break\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/23 15:48
S135	52	(air near2 bag) near100 ( varying or varies or variable or different) near100 (fissure or groove or channel or scor \$4 or srib\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/23 15:49

S136	206	(substrate or glass) near100 ( varying or varies or variable or different) near100 (pressure or force or scor\$4 or scrib \$4) near100 break \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/23 15:52
S137	1476	(substrate or glass) near100 ( varying or varies or variable or different) near100 (pressure or force or scor\$4 or scrib \$4) near100 (thickness or flatness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/23 16:02
S138	1455	(substrate or glass) near100 ( varying or varies or variable or different) near100 (pressure or force or scor\$4 or scrib \$4) near100 (thickness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/23 16:03
S139	367	glass near100 ( varying or varies or variable or different) near100 (pressure or force or scor\$4 or scrib \$4) near100 (thickness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/23 16:03
S140	904	glass near100 ( varying or varies or variable or different) near100 (pressure or force or scor\$4 or scrib \$4) near100 surface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/23 16:23
S141	0	("2623335"). URPN.	USPAT	OR	ON	2010/12/25 15:12
S142	0	("2623335"). URPN.	USPAT	OR	ON	2010/12/25 15:12
S143	22	"4137803"	US-PGPUB; USPAT	OR	ON	2010/12/25 15:23

S144	21	("1167254"   "2948991"   "3240090"   "3280067"   "3280677"   "3399586"   "3518907"   "3577636"   "3807261"   "4070936").PN. OR ("4204445"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/12/25 15:27
S145	2029	( varying or varies or variable or different or chang \$4) near100 (fissure or groove or channel) with (thickness or depth) with (force or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/25 16:14
S146	2055	( varying or varies or variable or different or chang \$4) with (fissure or groove or channel) with (thickness or depth) with (force or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/25 16:15
S147	66	(varying or varies or variable or different or chang \$4) with (fissure or groove or channel) with (thickness or depth) with (force or pressure) with (glass or substrate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/25 16:15

12/ 25/ 2010 4:45:55 PM

C:\ Documents and Settings\ PNguyen10\ My Documents\ EAST\ Workspaces\ 10,523,850-  
Method for cutting a continuous glass sheet during the production of flat glass.wsp